

第2表(9-7) 〔女〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	全死因			01200			02100		
	粗死亡率	年齢調整死亡率	SMR	結核			悪性新生物		
				粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	846.4	309.1	98.3	1.4	0.5	97.7	227.1	107.0	105.5
市 計	837.9	311.5	99.0	1.4	0.5	102.4	225.8	107.9	106.3
郡 計	885.2	298.3	95.4	1.2	0.4	78.4	232.9	102.8	102.5
佐賀中部保健所	794.9	310.9	98.3	1.0	0.3	74.9	226.7	113.1	111.4
佐 賀 市	780.9	312.7	98.9	1.1	0.4	87.7	222.3	113.0	111.6
多 久 市	968.5	320.2	95.5	0.7	0.1	41.7	269.6	117.0	107.5
小 城 市	771.4	297.8	97.6	1.1	0.5	85.7	216.9	107.6	108.8
神 埼 市	881.2	322.9	98.1	0.5	0.2	34.1	253.9	121.1	115.0
神 埼 郡	627.0	297.7	98.9	-	-	-	199.0	114.3	115.6
吉野ヶ里町	627.0	297.7	98.9	-	-	-	199.0	114.3	115.6
鳥栖保健所	719.5	299.5	96.1	1.6	0.6	132.9	203.5	105.6	107.0
鳥 栖 市	670.9	305.2	100.1	1.7	0.5	153.7	192.6	107.1	109.4
三 養 基 郡	773.0	296.0	92.6	1.6	0.7	114.3	215.5	104.6	104.7
基 山 町	672.9	272.8	80.3	-	-	-	186.1	97.9	95.2
上 峰 町	733.4	308.4	106.5	2.0	1.0	175.0	194.8	110.1	109.3
み や き 町	854.8	310.8	97.3	2.5	1.0	172.1	242.3	107.6	109.3
唐津保健所	910.6	320.8	101.6	1.4	0.6	89.6	227.4	103.7	101.2
唐 津 市	907.5	320.9	101.3	1.4	0.7	93.9	228.8	104.6	101.8
東 松 浦 郡	976.1	318.0	108.7	-	-	-	197.9	85.4	88.4
玄 海 町	976.1	318.0	108.7	-	-	-	197.9	85.4	88.4
伊万里保健所	917.1	308.8	99.5	1.7	0.6	110.4	222.9	98.1	96.9
伊 万 里 市	932.9	315.3	101.2	1.8	0.5	114.3	219.9	97.9	95.6
西 松 浦 郡	876.0	292.7	94.9	1.5	0.6	100.2	230.6	98.7	100.2
有 田 町	876.0	292.7	94.9	1.5	0.6	100.2	230.6	98.7	100.2
杵藤保健所	952.7	304.1	96.4	2.0	0.5	118.8	245.2	103.6	101.7
武 雄 市	914.1	313.5	102.5	2.6	0.5	173.6	231.6	102.7	102.9
鹿 島 市	872.3	307.2	99.0	2.1	0.6	139.4	267.2	118.8	120.2
嬉 野 市	912.3	292.1	86.7	2.2	0.7	124.9	211.4	92.7	84.9
杵 島 郡	1 069.8	305.6	94.8	0.7	0.1	39.2	273.8	104.4	102.9
大 町 町	1 272.2	347.3	100.1	-	-	-	354.7	126.7	120.3
江 北 町	1 076.0	321.9	104.8	1.8	0.5	102.8	271.7	106.3	109.9
白 石 町	1 007.1	287.9	89.9	0.6	0.1	32.5	250.4	96.5	94.8
藤 津 郡	1 002.0	299.9	100.7	3.2	0.9	188.9	220.0	96.4	89.7
太 良 町	1 002.0	299.9	100.7	3.2	0.9	188.9	220.0	96.4	89.7

平成9年～平成19年

02102			02103			02105			02106		
食道			胃			直腸S状結腸移行部及び直腸			肝及び肝内胆管		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
2.0	1.0	70.3	30.2	13.4	95.4	8.0	3.6	95.9	31.0	13.7	163.3
2.0	1.0	70.8	29.0	13.2	92.9	7.8	3.5	94.5	30.5	13.7	162.6
2.1	0.8	67.9	35.6	14.3	105.9	9.0	4.2	102.0	33.3	14.1	166.5
2.4	1.2	87.5	28.8	13.3	96.2	7.7	3.7	97.3	37.0	17.4	206.7
2.5	1.2	93.5	27.0	12.8	92.3	7.5	3.7	95.8	36.7	17.7	210.0
2.9	2.6	85.3	32.5	14.2	87.8	10.8	4.4	111.7	41.2	16.5	181.8
2.3	1.0	84.6	32.8	14.3	112.0	7.5	3.0	97.3	22.3	10.1	126.5
1.0	0.5	34.2	35.2	16.3	107.9	8.7	3.6	101.1	43.4	19.8	224.0
3.3	1.9	145.1	24.5	11.7	98.4	5.6	4.5	82.2	65.6	34.9	430.3
3.3	1.9	145.1	24.5	11.7	98.4	5.6	4.5	82.2	65.6	34.9	430.3
1.5	0.6	57.9	26.7	12.5	95.7	8.3	4.0	111.5	34.0	17.7	207.1
2.0	0.9	83.9	24.1	12.2	93.9	7.6	4.0	110.6	33.4	18.3	218.4
0.9	0.3	33.6	29.6	12.7	97.3	9.0	4.0	112.3	34.6	17.1	196.2
0.9	0.1	34.1	28.0	12.1	95.3	11.7	5.9	154.1	24.4	13.9	151.6
2.0	1.2	83.2	23.9	10.3	91.6	9.9	6.1	142.5	31.8	17.1	205.5
0.6	0.1	20.8	32.6	13.9	100.1	6.9	2.3	79.3	42.6	18.7	219.6
1.6	0.7	52.7	28.0	13.1	84.7	7.0	3.2	80.0	22.0	8.7	109.8
1.4	0.6	46.7	28.4	13.2	85.9	6.8	3.1	77.9	22.0	8.8	109.9
5.4	1.4	180.0	19.0	10.6	57.6	10.8	5.7	124.8	21.7	7.2	107.7
5.4	1.4	180.0	19.0	10.6	57.6	10.8	5.7	124.8	21.7	7.2	107.7
1.9	0.9	62.0	32.5	12.8	96.0	6.9	2.9	76.6	22.7	9.6	110.9
1.5	0.7	47.7	30.8	12.3	90.8	6.5	2.6	72.8	23.7	9.9	115.4
3.1	1.4	99.3	37.1	14.3	109.5	7.7	3.6	86.2	20.1	9.2	98.8
3.1	1.4	99.3	37.1	14.3	109.5	7.7	3.6	86.2	20.1	9.2	98.8
2.1	0.9	63.6	36.3	14.6	101.5	9.9	4.0	105.7	28.0	10.9	130.0
3.0	1.2	97.6	34.8	14.8	105.3	10.2	4.2	116.6	15.8	6.7	78.1
1.6	0.8	52.1	32.7	13.8	100.3	10.9	4.3	126.4	45.2	18.1	227.3
1.1	1.2	32.3	25.1	11.9	67.5	7.6	3.4	79.2	26.8	11.4	122.4
2.6	0.8	72.0	46.1	16.7	115.8	10.0	4.2	97.5	33.1	11.3	139.1
4.1	1.9	101.5	38.7	11.8	87.5	12.2	3.3	107.4	30.6	12.1	116.6
3.6	0.7	107.0	48.3	21.4	131.3	3.6	0.9	37.5	34.0	12.5	153.2
1.8	0.5	51.0	47.5	16.9	120.4	11.6	5.4	113.4	33.5	10.6	142.0
-	-	-	44.3	15.6	122.4	11.1	4.5	116.2	15.8	5.9	71.5
-	-	-	44.3	15.6	122.4	11.1	4.5	116.2	15.8	5.9	71.5

第2表(9-8) 〔女〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	02108			02110			02112		
	膵			気管、気管支及び肺			乳房		
	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	17.5	7.6	102.5	26.4	11.5	95.2	15.2	11.0	96.0
市 計	17.5	7.7	104.1	26.8	11.7	97.6	15.5	11.3	98.6
郡 計	17.3	7.0	95.7	25.0	10.8	84.9	13.8	9.7	84.5
佐賀中部保健所	16.0	7.3	99.6	24.1	11.4	92.3	16.7	12.7	109.2
佐 賀 市	16.6	7.8	106.2	23.3	11.6	91.2	16.9	12.7	111.1
多 久 市	18.8	6.0	93.1	28.2	11.1	85.9	18.1	12.5	106.1
小 城 市	17.0	8.2	108.0	27.2	12.4	106.0	16.2	13.0	108.7
神 埼 市	11.2	4.8	64.2	28.1	10.4	98.3	16.9	13.0	106.0
神 埼 郡	8.9	4.9	66.3	13.3	7.0	61.3	13.3	12.4	93.4
吉野ヶ里町	8.9	4.9	66.3	13.3	7.0	61.3	13.3	12.4	93.4
鳥栖保健所	16.2	7.8	109.0	20.3	10.5	83.9	14.1	10.4	93.8
鳥 栖 市	15.0	7.7	109.6	18.1	10.3	81.2	12.7	9.5	88.5
三 養 基 郡	17.5	7.8	108.4	22.8	10.6	86.4	15.6	11.5	99.1
基 山 町	16.3	8.3	107.5	19.0	10.6	76.0	10.8	8.1	73.1
上 峰 町	9.9	4.7	71.6	17.9	13.5	79.0	15.9	15.9	111.1
み や き 町	20.7	8.4	118.2	26.9	10.0	94.5	18.8	12.6	111.7
唐津保健所	19.9	8.7	111.3	33.9	13.3	116.6	14.0	9.4	86.0
唐 津 市	20.3	8.9	113.7	35.0	13.8	120.3	14.5	9.7	89.1
東 松 浦 郡	10.8	3.5	60.7	10.8	2.8	37.4	2.7	2.6	17.1
玄 海 町	10.8	3.5	60.7	10.8	2.8	37.4	2.7	2.6	17.1
伊万里保健所	18.2	7.3	99.4	29.3	11.7	98.4	11.6	8.2	69.8
伊 万 里 市	18.3	7.3	100.2	30.2	11.6	101.3	11.8	8.6	71.7
西 松 浦 郡	17.8	7.0	97.4	27.1	12.1	91.0	10.8	7.2	64.8
有 田 町	17.8	7.0	97.4	27.1	12.1	91.0	10.8	7.2	64.8
杵藤保健所	19.1	7.3	98.9	27.9	10.8	88.7	15.3	10.5	92.4
武 雄 市	19.7	8.9	109.8	28.6	10.5	97.9	16.4	12.9	101.9
鹿 島 市	17.7	6.6	99.8	28.1	11.4	97.5	14.0	9.3	87.6
嬉 野 市	18.0	5.9	90.7	20.8	8.0	63.9	16.4	10.6	97.3
杵 島 郡	19.0	6.0	88.5	32.0	13.1	91.5	13.4	8.9	77.5
大 町 町	32.6	10.8	137.0	46.9	17.6	120.7	24.5	15.4	131.5
江 北 町	17.9	4.6	90.0	35.7	17.4	110.4	10.7	6.9	65.5
白 石 町	15.2	4.9	71.7	26.2	10.2	75.7	11.0	7.7	63.9
藤 津 郡	23.7	11.8	120.6	26.9	10.4	84.2	19.0	10.1	112.7
太 良 町	23.7	11.8	120.6	26.9	10.4	84.2	19.0	10.1	112.7

平成9年～平成19年

02113			02119			02200					
子宮			白血病			その他			その他の新生物		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
9.0	5.3	100.4	7.1	4.3	143.4	80.6	35.6	102.4	6.9	2.6	92.8
9.1	5.4	102.6	6.9	4.2	141.5	80.6	36.4	103.8	6.7	2.7	91.8
8.5	4.7	90.7	7.8	4.9	151.6	80.5	32.3	96.5	7.7	2.5	97.0
9.0	5.9	105.3	6.1	4.0	129.0	78.9	36.3	106.2	6.0	2.4	85.9
9.5	6.0	112.1	5.6	3.6	120.5	76.8	36.0	105.8	5.9	2.3	86.2
7.2	4.6	71.8	8.0	4.3	141.3	101.9	40.7	110.4	7.2	2.6	82.6
7.5	5.0	90.0	8.7	6.6	186.9	75.4	34.2	103.8	6.0	2.8	88.1
10.2	7.7	112.2	5.1	3.0	101.6	94.0	41.9	115.9	5.6	2.7	72.8
6.7	4.6	87.7	5.6	3.6	132.8	52.3	28.7	84.6	6.7	2.7	119.0
6.7	4.6	87.7	5.6	3.6	132.8	52.3	28.7	84.6	6.7	2.7	119.0
7.6	4.5	92.4	3.6	2.7	79.7	71.2	35.0	103.1	7.9	3.6	121.5
7.1	4.4	91.7	2.8	2.7	67.0	69.7	37.0	109.6	7.6	3.9	130.4
8.1	4.6	93.1	4.4	2.7	92.2	73.0	33.3	97.0	8.1	3.1	113.5
7.2	4.3	87.7	2.7	2.0	60.7	65.0	32.7	90.3	6.3	1.9	89.5
2.0	1.2	25.7	2.0	1.3	46.7	79.5	38.8	123.2	4.0	0.9	66.2
10.6	5.3	113.9	6.3	3.5	123.3	76.4	32.8	94.6	10.6	4.5	140.9
10.2	5.2	109.7	10.2	5.8	198.5	80.7	35.5	98.2	7.5	2.4	96.8
10.2	5.2	109.3	9.4	5.2	182.9	80.8	35.8	98.3	7.6	2.5	98.1
10.8	4.4	118.5	27.1	19.0	530.0	78.6	28.1	95.9	5.4	1.6	70.1
10.8	4.4	118.5	27.1	19.0	530.0	78.6	28.1	95.9	5.4	1.6	70.1
7.3	4.3	76.8	9.6	5.2	184.3	82.9	35.2	98.3	6.4	2.7	80.8
6.5	3.8	68.8	10.4	5.3	198.1	80.2	35.6	95.2	6.8	3.1	85.6
9.3	5.3	97.5	7.7	5.0	148.1	89.8	33.8	106.6	5.4	1.5	68.2
9.3	5.3	97.5	7.7	5.0	148.1	89.8	33.8	106.6	5.4	1.5	68.2
9.7	4.8	99.4	7.8	4.2	144.2	89.3	35.5	100.6	7.8	2.8	92.1
7.9	4.7	85.1	6.9	2.9	134.1	88.4	36.0	107.3	7.6	3.0	97.6
17.7	8.5	192.6	8.3	4.9	163.4	91.0	41.1	111.9	7.8	4.0	102.1
6.0	1.9	60.2	5.5	2.8	99.0	84.1	35.7	91.3	6.6	1.7	73.4
7.8	3.9	74.5	8.5	4.2	146.1	101.4	35.3	102.7	8.5	2.1	89.3
8.2	2.5	71.2	10.2	1.9	160.1	146.8	49.3	133.6	10.2	4.0	95.1
1.8	0.6	18.2	7.1	5.8	129.7	109.0	35.5	119.3	5.4	1.0	61.0
9.7	5.4	93.7	8.5	4.4	146.8	85.3	30.6	87.1	9.1	1.9	96.3
12.7	6.8	127.8	14.2	13.0	258.4	52.2	18.3	57.9	9.5	3.6	111.3
12.7	6.8	127.8	14.2	13.0	258.4	52.2	18.3	57.9	9.5	3.6	111.3

第2表(9-9) 〔女〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	04100			09100			09200			09300		
	糖尿病			高血圧性疾患			心疾患(高血圧性を除く)			脳血管疾患		
	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	9.2	3.5	80.3	11.0	2.7	143.6	136.8	41.4	88.7	126.5	38.9	95.3
市 計	9.2	3.6	81.8	10.5	2.6	140.6	135.5	41.7	89.6	125.3	39.6	96.2
郡 計	9.0	3.2	73.8	13.1	3.2	155.6	142.5	39.9	85.0	131.9	36.1	91.5
佐賀中部保健所	7.8	3.0	73.1	8.6	2.3	121.4	123.2	40.0	85.5	111.5	37.1	90.0
佐 賀 市	7.5	3.0	71.5	9.0	2.4	130.0	122.6	40.8	87.3	111.0	37.7	91.9
多 久 市	12.3	3.3	89.9	8.7	2.0	96.0	146.7	39.7	79.9	131.5	35.9	83.3
小 城 市	7.2	2.8	68.3	6.4	1.4	92.6	126.0	41.8	89.6	113.5	37.6	93.8
神 埼 市	7.7	3.0	64.6	9.7	3.0	120.0	125.7	36.8	77.6	115.5	36.5	82.8
神 埼 郡	8.9	4.4	104.2	6.7	2.4	129.6	81.2	33.5	74.6	73.4	31.2	78.1
吉野ヶ里町	8.9	4.4	104.2	6.7	2.4	129.6	81.2	33.5	74.6	73.4	31.2	78.1
鳥栖保健所	8.0	3.6	81.6	10.7	3.3	163.1	105.1	36.3	79.4	90.1	32.5	79.0
鳥 栖 市	9.3	4.5	105.1	11.9	3.9	210.7	91.5	35.5	78.5	87.5	35.2	87.0
三 養 基 郡	6.5	2.8	60.3	9.4	2.8	123.9	120.0	37.0	80.2	92.9	30.1	72.1
基 山 町	3.6	2.1	34.2	9.9	3.1	124.6	94.8	30.0	62.1	93.9	31.1	71.6
上 峰 町	-	-	-	9.9	3.4	168.5	111.3	37.2	92.2	105.3	41.3	101.2
み や き 町	10.6	3.9	91.7	8.8	2.6	112.8	140.3	41.9	89.6	88.3	26.9	65.4
唐津保健所	11.5	4.6	96.6	11.3	2.7	142.6	148.5	44.4	92.4	134.9	42.7	97.7
唐 津 市	11.7	4.6	97.9	11.1	2.6	139.6	147.1	43.9	91.6	135.9	43.1	98.4
東 松 浦 郡	8.1	5.0	67.9	16.3	4.1	204.0	176.2	54.2	109.3	113.9	34.5	82.2
玄 海 町	8.1	5.0	67.9	16.3	4.1	204.0	176.2	54.2	109.3	113.9	34.5	82.2
伊万里保健所	7.5	2.6	61.0	14.6	3.4	177.7	161.8	46.8	97.7	152.4	42.8	107.0
伊 万 里 市	6.5	2.5	52.9	13.6	3.0	166.5	171.4	50.5	103.5	162.8	45.1	114.3
西 松 浦 郡	10.1	2.9	82.0	17.0	4.6	206.9	137.0	37.4	82.6	125.4	36.6	87.9
有 田 町	10.1	2.9	82.0	17.0	4.6	206.9	137.0	37.4	82.6	125.4	36.6	87.9
杵藤保健所	11.6	3.9	88.1	14.0	2.9	156.6	164.9	41.8	91.9	162.6	40.5	105.6
武 雄 市	14.5	5.0	120.5	13.1	3.2	168.3	157.3	44.2	98.5	141.2	40.0	102.7
鹿 島 市	7.3	2.0	61.5	14.6	3.4	188.9	166.3	43.1	105.6	117.5	33.6	86.6
嬉 野 市	12.0	5.1	87.3	10.4	2.1	105.5	150.2	36.3	77.8	196.1	47.2	118.4
杵 島 郡	12.3	3.5	82.5	17.8	3.2	168.9	177.2	43.6	85.3	192.8	40.0	108.3
大 町 町	22.4	4.9	134.5	10.2	2.2	84.5	244.7	56.0	103.8	242.6	47.8	120.2
江 北 町	12.5	4.1	91.6	35.7	7.0	381.0	150.1	41.1	80.1	169.8	35.8	105.5
白 石 町	9.1	2.8	62.1	14.0	2.3	133.4	166.3	40.3	80.7	185.8	39.0	105.2
藤 津 郡	6.3	2.4	47.7	11.1	2.2	123.8	186.8	44.9	103.9	177.3	42.5	114.8
太 良 町	6.3	2.4	47.7	11.1	2.2	123.8	186.8	44.9	103.9	177.3	42.5	114.8

平成9年～平成19年

10200			11300			20101			20200		
肺炎			肝疾患			交通事故			自殺		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
93.5	23.9	109.2	9.4	4.4	103.2	8.8	5.9	150.8	11.1	9.1	82.9
93.1	24.2	111.1	10.0	4.7	110.5	8.5	5.8	146.6	10.6	8.7	78.9
95.7	22.5	101.7	6.9	3.1	72.0	10.1	6.5	169.1	13.8	10.9	100.9
97.2	26.8	121.9	10.6	5.2	122.8	8.4	5.5	148.7	10.0	8.2	75.9
94.6	26.9	121.6	10.0	5.2	117.9	8.1	5.6	146.3	10.4	8.6	78.9
116.4	27.3	114.4	21.0	9.1	196.2	4.3	2.5	66.9	8.0	5.8	56.2
89.4	24.2	115.0	7.9	4.0	93.5	7.5	4.5	136.9	10.6	8.4	82.0
120.6	28.1	133.0	12.3	4.4	131.1	11.7	7.7	198.8	9.2	6.9	67.6
80.0	30.6	138.0	8.9	5.0	121.0	13.3	7.9	258.9	7.8	6.9	62.0
80.0	30.6	138.0	8.9	5.0	121.0	13.3	7.9	258.9	7.8	6.9	62.0
75.2	22.2	102.6	7.7	3.8	95.9	8.5	5.8	157.6	12.5	9.8	95.8
64.0	21.4	100.9	9.3	4.6	125.0	6.8	4.7	131.8	11.3	9.7	88.9
87.6	23.1	104.1	5.9	3.1	68.3	10.3	6.9	183.8	13.7	9.9	103.1
68.6	18.1	77.6	5.4	3.6	66.4	7.2	6.6	136.3	14.5	11.5	112.9
119.3	33.4	180.2	6.0	2.5	78.9	6.0	6.3	115.3	8.0	7.8	63.4
90.8	24.2	104.4	6.3	3.1	66.8	13.8	6.6	232.0	15.0	8.9	108.1
102.9	24.8	115.7	8.8	4.4	92.5	8.8	6.5	148.0	11.1	8.9	81.1
104.6	25.2	117.6	9.3	4.6	96.9	9.0	6.4	150.7	10.9	8.9	80.2
67.8	15.1	75.8	-	-	-	5.4	6.8	90.5	13.6	7.0	101.4
67.8	15.1	75.8	-	-	-	5.4	6.8	90.5	13.6	7.0	101.4
86.9	21.4	94.6	9.2	3.9	94.2	9.2	5.3	152.3	12.6	10.2	92.3
86.1	21.5	93.8	9.5	3.9	96.8	10.4	5.4	171.2	10.4	8.2	75.8
89.0	21.2	96.5	8.5	3.9	87.2	6.2	5.1	102.7	18.6	15.7	135.0
89.0	21.2	96.5	8.5	3.9	87.2	6.2	5.1	102.7	18.6	15.7	135.0
93.7	20.3	93.3	8.7	3.4	84.9	9.5	6.8	152.3	11.9	10.4	85.8
84.7	19.8	96.4	10.2	4.3	106.3	9.5	7.6	158.6	10.8	8.9	80.0
71.2	17.5	82.1	8.8	4.4	93.4	7.8	7.5	131.2	9.9	9.3	73.4
96.1	21.0	87.5	8.2	2.5	77.9	8.2	5.0	130.4	12.6	10.8	90.2
111.5	21.7	94.5	7.8	2.7	69.2	11.1	6.7	168.3	13.4	12.4	93.6
110.1	19.6	81.7	8.2	2.6	65.4	18.3	11.8	258.9	16.3	13.0	108.1
100.1	19.6	95.1	7.1	3.0	68.1	8.9	7.1	140.9	8.9	9.0	64.4
115.8	23.2	98.7	7.9	2.7	70.8	9.7	5.4	148.2	14.0	13.6	98.7
121.9	24.7	121.6	6.3	2.5	60.7	11.1	6.3	175.6	14.2	12.6	102.8
121.9	24.7	121.6	6.3	2.5	60.7	11.1	6.3	175.6	14.2	12.6	102.8