

第2表(9-7) 〔女〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	全死因			01200			02100		
	粗死亡率	年齢調整死亡率	SMR	結核			悪性新生物		
				粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	891.0	289.0	98.4	1.4	0.4	98.3	237.8	101.9	105.5
市 計	881.0	291.6	99.2	1.4	0.4	99.4	236.7	103.2	106.5
郡 計	936.9	277.7	95.1	1.4	0.4	93.8	242.7	96.1	101.0
佐賀中部保健所	834.1	290.3	98.7	1.1	0.3	84.1	236.3	106.8	111.1
佐 賀 市	812.0	291.4	99.0	1.1	0.3	90.3	231.3	106.4	111.5
多 久 市	1 058.4	301.0	97.7	1.5	0.2	86.6	289.3	111.6	109.1
小 城 市	815.8	276.0	97.7	1.1	0.3	86.8	221.4	100.7	106.0
神 埼 市	930.5	297.6	96.8	1.0	0.2	68.6	265.0	115.9	113.5
神 埼 郡	693.1	296.5	104.6	-	-	-	217.2	110.6	120.5
吉野ヶ里町	693.1	296.5	104.6	-	-	-	217.2	110.6	120.5
鳥栖保健所	751.6	277.8	95.2	1.4	0.5	119.2	209.3	98.4	104.8
鳥 栖 市	693.3	281.3	98.5	1.3	0.4	124.6	192.9	98.3	105.4
三 養 基 郡	819.2	275.6	92.3	1.6	0.6	114.3	228.4	98.3	104.2
基 山 町	738.8	257.8	80.2	-	-	-	200.3	93.7	93.4
上 峰 町	735.7	288.9	103.3	1.9	0.9	174.9	212.9	109.0	116.4
み や き 町	903.4	288.5	97.8	2.5	0.9	176.2	253.1	99.7	107.9
唐津保健所	964.0	302.5	102.3	1.0	0.4	67.1	241.1	100.1	102.2
唐 津 市	962.4	302.9	102.1	1.0	0.4	70.3	242.1	100.8	102.7
東 松 浦 郡	997.0	292.8	105.1	-	-	-	218.5	83.7	93.1
玄 海 町	997.0	292.8	105.1	-	-	-	218.5	83.7	93.1
伊万里保健所	970.3	290.1	99.9	1.7	0.4	113.3	236.9	96.8	98.1
伊 万 里 市	980.5	298.0	102.5	1.8	0.5	118.3	235.9	98.0	98.6
西 松 浦 郡	943.1	270.6	93.4	1.6	0.2	100.5	239.3	93.7	96.8
有 田 町	943.1	270.6	93.4	1.6	0.2	100.5	239.3	93.7	96.8
杵藤保健所	1 011.1	283.3	96.1	2.1	0.5	127.3	258.4	99.3	101.6
武 雄 市	966.0	296.5	100.3	2.0	0.3	132.3	249.8	103.3	105.0
鹿 島 市	942.9	287.7	100.0	2.1	0.8	143.0	286.0	114.0	121.7
嬉 野 市	975.5	270.5	87.8	2.8	0.7	158.6	226.5	89.2	86.3
杵 島 郡	1 134.1	284.4	95.9	1.5	0.3	81.0	276.8	96.5	99.4
大 町 町	1 358.2	314.4	101.2	2.1	0.2	98.3	317.5	108.1	101.9
江 北 町	1 127.3	297.8	100.8	1.8	0.4	99.6	258.9	96.2	98.7
白 石 町	1 069.7	271.3	92.4	1.3	0.3	68.6	271.0	93.4	98.8
藤 津 郡	1 017.1	252.1	92.8	3.2	0.8	186.6	230.5	83.1	86.8
太 良 町	1 017.1	252.1	92.8	3.2	0.8	186.6	230.5	83.1	86.8

平成12年～平成22年

02102			02103			02105			02106		
食道			胃			直腸S状結腸移行部及び直腸			肝及び肝内胆管		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
2.3	1.0	76.9	30.3	12.1	97.6	8.3	3.5	96.0	32.5	12.8	167.6
2.2	1.0	73.7	29.7	12.2	97.1	8.2	3.5	96.9	31.7	12.7	166.1
2.9	1.1	90.3	33.3	12.0	100.0	8.4	3.5	91.9	36.0	13.2	174.1
2.4	1.1	83.3	28.0	11.9	95.9	8.2	3.7	100.8	37.0	15.3	203.3
2.3	1.1	83.1	26.5	11.4	93.1	7.7	3.8	97.1	36.2	15.5	203.8
3.0	2.1	85.4	30.7	12.6	83.7	13.5	5.5	133.9	40.5	12.9	174.1
2.6	1.1	95.0	31.9	12.4	111.0	9.0	3.1	112.8	20.6	9.2	115.7
0.5	0.4	16.5	34.9	16.0	107.9	9.2	3.1	103.7	49.3	18.5	248.0
5.5	2.6	229.7	20.8	9.5	86.0	3.3	2.1	47.4	66.9	28.9	430.7
5.5	2.6	229.7	20.8	9.5	86.0	3.3	2.1	47.4	66.9	28.9	430.7
2.3	1.1	86.7	27.4	11.7	100.1	7.6	3.2	99.5	33.3	15.5	198.3
2.7	1.5	110.4	23.9	11.5	96.0	6.4	3.0	91.4	30.9	15.4	200.2
1.9	0.6	63.9	31.5	11.8	104.1	9.0	3.3	107.4	36.2	15.6	196.5
1.8	0.2	63.3	29.0	9.4	96.3	10.0	4.1	121.4	24.5	12.4	141.0
3.8	2.1	156.6	20.9	9.6	83.7	7.6	3.5	108.0	53.2	26.5	345.0
1.3	0.4	40.4	36.8	13.6	114.5	8.9	2.9	98.3	38.7	14.5	192.1
2.0	0.8	63.4	30.4	12.2	93.7	7.8	3.3	86.7	24.3	8.6	118.7
1.8	0.8	58.1	30.7	12.2	94.5	7.8	3.3	86.5	23.9	8.6	116.8
5.5	1.2	176.2	24.6	11.0	75.9	8.2	3.9	91.6	32.8	9.7	159.5
5.5	1.2	176.2	24.6	11.0	75.9	8.2	3.9	91.6	32.8	9.7	159.5
2.6	1.2	80.9	33.5	12.3	100.7	6.1	2.2	65.6	24.6	9.7	117.8
2.1	1.0	65.7	33.3	12.1	101.2	6.2	2.2	68.4	25.6	9.9	123.1
3.9	1.6	119.7	34.0	12.8	99.2	5.5	2.3	58.4	22.1	9.5	104.2
3.9	1.6	119.7	34.0	12.8	99.2	5.5	2.3	58.4	22.1	9.5	104.2
2.3	1.0	68.5	35.7	12.8	100.9	10.2	4.0	105.9	32.7	11.5	148.4
3.3	1.2	105.5	35.3	13.5	107.5	12.0	4.5	132.0	20.0	7.6	96.8
2.1	1.0	68.1	35.6	14.3	109.8	9.0	3.1	100.6	56.2	20.9	275.5
0.6	0.8	15.8	29.8	10.4	81.3	8.3	3.4	83.1	29.3	11.1	130.0
3.0	1.1	82.2	39.8	12.8	102.1	10.6	4.5	100.6	35.6	10.8	147.0
2.1	1.7	50.8	31.5	10.4	72.0	14.7	4.9	124.8	18.9	7.9	69.9
3.5	0.6	101.6	37.0	16.8	100.6	5.3	2.2	53.2	35.2	10.7	154.8
3.1	1.1	86.2	43.3	12.4	112.9	11.3	5.1	108.5	40.8	11.8	170.3
-	-	-	37.1	11.4	100.6	9.7	5.0	95.6	21.0	6.9	89.7
-	-	-	37.1	11.4	100.6	9.7	5.0	95.6	21.0	6.9	89.7

第2表(9-8) 〔女〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	02108			02110			02112		
	膵			気管、気管支及び肺			乳房		
	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	18.4	7.2	96.8	27.8	10.9	93.5	16.5	11.2	95.7
市 計	18.7	7.5	99.6	28.2	11.2	96.4	16.6	11.5	96.8
郡 計	17.3	6.2	85.1	25.9	9.8	81.4	16.3	10.2	91.2
佐賀中部保健所	17.8	7.1	99.3	26.2	11.1	93.8	18.1	12.9	108.2
佐 賀 市	18.4	7.5	105.6	25.4	11.2	93.5	17.9	12.7	108.4
多 久 市	19.5	6.0	85.9	32.2	12.5	91.1	18.7	10.9	99.5
小 城 市	18.4	7.9	104.8	27.0	11.1	98.6	18.4	13.7	112.3
神 埼 市	13.9	5.1	70.4	28.8	10.1	93.3	19.0	14.0	108.7
神 埼 郡	12.1	5.5	80.2	20.8	10.4	89.3	16.5	14.3	106.1
吉野ヶ里町	12.1	5.5	80.2	20.8	10.4	89.3	16.5	14.3	106.1
鳥栖保健所	15.9	7.1	95.2	20.6	9.4	79.3	15.0	10.6	92.0
鳥 栖 市	14.5	7.2	95.3	18.3	9.3	77.0	15.3	11.2	99.3
三 養 基 郡	17.5	6.9	95.2	23.4	9.5	81.5	14.7	10.1	84.5
基 山 町	20.9	9.2	117.5	20.9	10.6	74.4	12.7	10.1	75.6
上 峰 町	9.5	4.7	62.5	19.0	11.4	80.1	13.3	10.4	86.9
み や き 町	17.8	6.3	89.5	26.6	8.6	86.3	16.5	10.6	89.6
唐津保健所	19.7	8.1	98.7	35.0	12.4	112.3	14.0	9.3	78.5
唐 津 市	20.3	8.3	101.4	35.6	12.7	114.3	14.4	9.5	80.7
東 松 浦 郡	8.2	2.0	41.1	21.9	4.4	70.3	5.5	4.6	31.5
玄 海 町	8.2	2.0	41.1	21.9	4.4	70.3	5.5	4.6	31.5
伊万里保健所	19.2	6.9	93.9	31.1	11.6	97.5	14.7	9.6	81.0
伊 万 里 市	19.9	7.2	98.2	31.8	11.8	100.6	14.0	9.7	77.7
西 松 浦 郡	17.4	6.0	83.0	29.2	11.0	89.4	16.6	9.5	89.4
有 田 町	17.4	6.0	83.0	29.2	11.0	89.4	16.6	9.5	89.4
杵藤保健所	20.2	7.1	93.3	28.7	10.1	85.0	17.3	10.4	94.7
武 雄 市	21.0	8.6	103.9	31.0	11.3	98.4	16.3	12.0	91.9
鹿 島 市	21.8	7.4	109.1	31.8	11.6	102.4	15.4	9.1	87.3
嬉 野 市	18.2	5.5	81.8	21.5	6.9	61.7	17.7	10.6	95.5
杵 島 郡	17.8	5.2	74.8	30.3	10.7	81.4	17.8	9.8	94.0
大 町 町	31.5	9.1	117.9	39.9	12.5	95.3	33.6	19.8	163.6
江 北 町	10.6	3.4	47.2	29.9	11.7	85.4	12.3	5.8	68.7
白 石 町	16.3	4.6	69.5	27.6	9.5	75.2	15.1	8.2	79.9
藤 津 郡	27.4	12.0	120.5	22.6	8.2	63.7	24.2	10.2	129.1
太 良 町	27.4	12.0	120.5	22.6	8.2	63.7	24.2	10.2	129.1

平成12年～平成22年

02113			02119			その他			02200		
子宮			白血病			その他			その他の新生物		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
9.3	5.2	102.4	7.2	3.9	141.0	85.1	34.0	102.4	7.8	2.6	99.7
9.4	5.2	104.7	7.1	3.9	141.5	84.8	34.6	103.7	7.7	2.7	99.7
8.9	4.9	92.9	7.4	4.0	138.7	86.3	31.2	96.8	8.4	2.5	99.4
9.1	5.3	103.9	5.9	3.5	121.7	83.7	34.8	107.1	7.5	2.6	102.7
9.7	5.5	113.4	5.2	3.0	109.9	82.0	34.7	107.7	7.2	2.5	100.5
9.7	5.3	94.7	9.7	5.1	166.1	111.7	38.7	113.3	8.2	1.2	87.7
5.6	3.8	65.7	7.9	6.0	165.3	79.9	32.4	104.0	7.9	3.4	108.6
9.2	6.1	99.2	5.1	2.7	98.5	95.0	39.8	109.8	8.7	3.5	105.5
7.7	5.8	98.3	6.6	4.5	153.6	57.0	27.0	87.6	8.8	3.2	149.4
7.7	5.8	98.3	6.6	4.5	153.6	57.0	27.0	87.6	8.8	3.2	149.4
8.9	4.8	106.8	4.0	2.5	88.0	74.0	32.5	101.2	8.1	3.1	118.0
8.3	4.7	106.3	3.8	2.5	87.7	68.8	32.0	103.2	7.3	3.2	117.8
9.7	5.0	107.4	4.4	2.5	88.3	80.2	33.0	99.2	9.0	3.0	118.3
7.3	3.5	83.0	2.7	1.5	57.1	70.7	32.6	88.6	10.0	2.2	127.6
5.7	4.8	73.1	5.7	3.5	133.3	74.1	32.5	111.1	1.9	1.8	30.6
12.7	5.6	132.3	5.1	3.1	95.9	88.8	34.1	103.1	10.8	3.9	134.5
11.2	5.9	117.8	10.2	5.1	191.6	86.5	34.4	99.5	8.2	2.8	100.1
11.3	6.0	119.2	9.6	4.7	181.1	86.7	34.7	99.7	8.2	2.7	100.2
8.2	3.9	87.9	21.9	15.1	412.7	81.9	27.9	94.4	8.2	3.3	99.8
8.2	3.9	87.9	21.9	15.1	412.7	81.9	27.9	94.4	8.2	3.3	99.8
9.5	5.5	98.5	9.1	4.3	167.8	86.4	33.5	97.0	7.3	2.7	87.3
9.8	5.8	102.5	8.9	4.2	166.0	84.2	34.2	95.4	8.3	3.4	100.2
8.7	4.5	88.1	9.5	4.6	172.4	92.4	31.7	101.0	4.7	1.0	54.5
8.7	4.5	88.1	9.5	4.6	172.4	92.4	31.7	101.0	4.7	1.0	54.5
8.6	4.5	87.0	8.7	4.2	155.3	93.8	33.7	99.2	8.1	2.3	89.8
9.7	5.6	101.8	9.7	3.8	181.0	91.6	35.1	104.1	8.0	2.8	96.0
11.1	5.0	118.5	9.6	4.9	180.6	93.4	36.7	107.6	8.5	2.7	103.7
4.4	1.1	43.6	7.2	4.9	125.1	89.5	34.6	91.3	6.1	1.0	63.9
7.6	4.5	71.7	7.6	3.6	125.0	106.6	33.5	102.1	9.1	2.1	89.8
8.4	1.7	72.4	10.5	1.7	157.5	126.1	38.5	107.6	10.5	3.3	91.6
7.0	6.1	70.4	8.8	5.4	153.2	109.2	33.5	111.0	5.3	0.8	55.1
7.5	4.8	71.9	6.3	3.6	104.6	99.8	32.2	97.2	10.0	2.1	101.1
12.9	7.3	125.6	11.3	5.3	192.2	64.5	16.8	65.3	9.7	3.5	102.7
12.9	7.3	125.6	11.3	5.3	192.2	64.5	16.8	65.3	9.7	3.5	102.7

第2表(9-9) 〔女〕粗死亡率・年齢調整死亡率(人口10万対)・標準化死亡比(SMR), 主要死因・市町別

市 町	04100			09100			09200			09300		
	糖尿病			高血圧性疾患			心疾患(高血圧性を除く)			脳血管疾患		
	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
総 数	9.2	3.1	80.0	10.1	2.2	137.4	146.2	38.4	89.1	121.5	32.9	96.5
市 計	9.2	3.2	80.9	9.9	2.2	137.9	143.7	38.6	89.5	120.3	33.4	97.6
郡 計	9.5	2.9	76.2	11.0	2.3	135.2	157.7	37.7	87.5	126.8	30.8	91.8
佐賀中部保健所	7.9	2.7	73.0	8.3	1.9	122.1	129.7	36.9	85.2	109.5	31.7	93.6
佐 賀 市	7.4	2.6	70.6	8.7	2.0	132.6	125.9	37.0	85.6	108.9	32.7	96.3
多 久 市	12.7	2.9	91.0	6.0	0.9	67.7	161.2	38.7	81.1	122.2	27.1	80.1
小 城 市	6.8	2.4	63.5	9.8	2.2	145.5	140.4	40.1	93.2	111.8	30.7	96.6
神 埼 市	9.2	2.4	75.9	5.6	1.5	71.0	134.5	33.5	76.5	115.5	31.4	85.7
神 埼 郡	8.8	3.6	101.9	6.6	2.3	134.6	99.8	35.4	86.9	80.1	29.1	90.0
吉野ヶ里町	8.8	3.6	101.9	6.6	2.3	134.6	99.8	35.4	86.9	80.1	29.1	90.0
鳥栖保健所	8.4	3.2	83.8	9.2	2.4	146.6	116.8	34.7	82.6	86.3	27.7	79.4
鳥 栖 市	8.9	3.8	98.9	11.6	3.3	211.5	101.5	34.2	81.7	87.0	30.8	90.8
三 養 基 郡	7.8	2.6	69.7	6.6	1.5	90.1	134.5	35.3	83.5	85.5	25.1	69.1
基 山 町	5.4	2.2	48.3	8.2	1.5	102.7	115.1	31.2	67.7	82.5	23.6	63.4
上 峰 町	-	-	-	7.6	2.2	136.0	114.1	33.6	90.3	91.3	32.5	93.8
み や き 町	12.1	3.6	101.6	5.1	1.3	68.9	154.8	39.1	93.1	85.6	24.6	66.9
唐津保健所	10.8	3.7	89.2	10.2	2.3	134.1	157.2	40.4	92.1	125.3	34.8	95.6
唐 津 市	10.9	3.8	90.2	10.3	2.3	135.4	154.9	39.7	90.8	126.3	35.3	96.4
東 松 浦 郡	8.2	1.6	67.4	8.2	1.6	106.6	204.9	53.7	118.9	103.8	24.1	78.5
玄 海 町	8.2	1.6	67.4	8.2	1.6	106.6	204.9	53.7	118.9	103.8	24.1	78.5
伊万里保健所	7.8	2.4	62.4	11.7	2.5	148.4	171.2	42.6	97.0	148.9	37.0	109.9
伊 万 里 市	7.7	2.6	62.8	10.4	2.1	135.5	179.1	45.8	103.3	158.0	38.9	118.6
西 松 浦 郡	7.9	2.0	61.6	15.0	3.6	180.0	150.1	34.5	81.3	124.8	32.5	88.2
有 田 町	7.9	2.0	61.6	15.0	3.6	180.0	150.1	34.5	81.3	124.8	32.5	88.2
杵藤保健所	12.2	3.8	90.5	13.6	2.4	155.3	180.8	39.7	93.4	155.3	34.2	104.8
武 雄 市	16.7	5.3	135.1	13.0	2.7	165.9	170.6	41.6	97.4	134.2	33.4	99.9
鹿 島 市	6.9	1.6	56.9	14.9	2.6	195.4	184.1	41.9	107.6	112.0	27.1	85.2
嬉 野 市	9.9	4.1	70.8	9.9	1.8	105.7	170.1	35.0	82.6	184.0	40.3	116.9
杵 島 郡	13.7	3.7	90.7	16.7	2.7	166.4	196.4	40.6	89.3	193.4	35.9	115.1
大 町 町	21.0	5.3	123.0	8.4	1.1	73.1	281.7	52.6	112.0	250.2	41.4	130.2
江 北 町	8.8	2.1	62.1	26.4	5.5	278.3	162.1	39.6	77.9	186.7	34.3	117.5
白 石 町	13.2	3.6	89.4	15.7	2.4	160.4	183.2	37.4	85.3	178.8	34.8	108.9
藤 津 郡	6.4	2.4	46.0	9.7	1.2	106.4	185.4	38.1	92.1	143.5	31.6	93.1
太 良 町	6.4	2.4	46.0	9.7	1.2	106.4	185.4	38.1	92.1	143.5	31.6	93.1

平成12年～平成22年

10200			11300			20101			20200		
肺炎			肝疾患			交通事故			自殺		
粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR	粗死亡率	年齢調整死亡率	SMR
100.8	22.3	110.1	9.2	3.9	99.5	7.4	4.5	147.3	10.9	8.7	82.1
101.3	22.9	113.4	9.5	4.1	104.0	6.8	4.2	137.6	10.6	8.5	79.9
98.4	19.6	96.9	7.9	3.2	80.3	9.9	5.9	189.6	12.4	9.7	92.2
104.5	24.9	123.6	9.7	4.5	111.3	6.4	3.8	133.1	10.5	8.7	80.4
100.0	24.9	122.5	8.4	4.0	98.5	6.4	4.0	135.3	10.6	8.9	81.3
133.4	26.8	120.0	21.0	7.8	193.0	3.7	1.7	66.4	11.2	9.1	80.9
94.2	21.2	112.3	7.5	4.0	87.6	4.9	2.7	102.6	9.8	7.4	76.0
141.7	27.3	142.8	12.3	4.6	129.6	7.7	4.0	150.9	9.8	7.5	72.7
82.3	26.4	133.8	14.3	7.3	191.3	12.1	7.4	272.1	12.1	11.0	95.9
82.3	26.4	133.8	14.3	7.3	191.3	12.1	7.4	272.1	12.1	11.0	95.9
76.5	19.3	97.3	7.6	3.6	93.8	7.5	5.1	162.6	11.5	9.6	89.2
64.5	18.2	94.4	8.3	3.8	111.0	5.9	4.3	134.8	11.6	10.4	91.3
90.5	20.5	99.8	6.9	3.5	77.0	9.4	5.8	191.5	11.5	8.5	87.0
68.0	15.4	69.1	6.3	4.3	73.4	5.4	5.0	115.7	13.6	10.4	104.8
116.0	31.0	166.1	11.4	5.1	152.1	3.8	4.3	86.9	11.4	12.1	91.5
97.7	21.5	106.0	5.7	2.7	59.6	14.0	6.2	269.1	10.2	5.6	73.8
111.9	23.4	117.9	10.2	4.7	105.1	7.6	4.9	146.1	10.9	8.3	81.2
113.6	23.8	119.7	10.5	4.9	108.8	7.5	4.7	145.5	10.9	8.4	81.1
76.5	13.9	79.5	2.7	0.4	28.3	8.2	9.7	158.4	10.9	5.8	82.6
76.5	13.9	79.5	2.7	0.4	28.3	8.2	9.7	158.4	10.9	5.8	82.6
100.3	21.5	101.9	8.4	3.3	85.2	7.3	4.4	140.1	11.2	8.4	83.3
99.1	21.7	102.8	8.3	3.3	84.8	8.0	4.1	153.7	9.5	6.5	70.8
103.5	20.8	99.6	8.7	3.3	86.1	5.5	5.2	104.5	15.8	13.6	115.8
103.5	20.8	99.6	8.7	3.3	86.1	5.5	5.2	104.5	15.8	13.6	115.8
101.2	19.1	92.7	8.7	2.9	84.0	9.1	5.4	168.9	11.1	8.7	81.2
99.9	20.5	102.0	9.7	3.4	99.0	8.7	6.0	166.8	10.3	8.2	77.0
83.3	18.1	87.5	10.6	3.6	110.0	9.6	7.1	184.8	9.6	7.9	71.7
103.9	20.0	88.5	7.7	2.3	72.4	5.0	2.3	90.8	11.6	8.7	84.4
109.2	17.7	87.2	8.3	2.6	73.4	12.1	6.2	211.0	12.9	10.7	92.4
121.9	16.1	84.8	12.6	4.3	99.5	16.8	8.4	271.0	14.7	10.1	100.6
93.4	14.2	78.8	5.3	2.7	49.3	10.6	8.5	191.6	14.1	11.9	103.4
111.0	19.4	91.0	8.2	2.1	72.7	11.3	4.8	198.2	11.9	10.7	85.9
119.3	20.2	105.2	3.2	1.1	29.6	9.7	3.0	172.7	9.7	5.9	70.7
119.3	20.2	105.2	3.2	1.1	29.6	9.7	3.0	172.7	9.7	5.9	70.7